

Safety Data Sheet

RHS472, RHS473, RHS474

Reynard 70% alcohol & 2% chlorhexidine foam swabsticks

1. Identification of the substance/mixture and of the company/undertaking

Product Name:	Reynard 70% isopropyl alcohol and 2% chlorhexidine digluconate foam swabsticks
Product Code:	RHS472, RHS473, RHS474
Identified use of the product:	A wetted foam pad adhered to a plastic stick, used to sanitise the skin prior to injection
Company Name:	Reynard Health Supplies (Aus) Pty Ltd
Address:	Suite 4.03, Level 4, 44 Hampden Road, Artarmon, NSW, 2064, Australia.
Telephone Number:	+61 1300 667 199
E-mail:	enquiries@reynardhealth.com.au
Emergency Telephone	13 11 26
Date of SDS Preparation:	31/01/2024

2. Hazards identification

This product is classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

GHS Classification	Pictogram	Hazard statement
Flammable Liquid - Category 2	 Flame	H225; Highly flammable liquid and vapour
Serious Eye Damage/Irritation - Category 2A	 Exclamation mark	H319; Causes serious eye irritation
Specific Target Organ Toxicity (Single Exposure) - Category 3		H336; May cause drowsiness or dizziness

Precautionary Statement(s):

Prevention	
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating, lighting and all other equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist, vapours or spray.
P264	Wash hands, face and all exposed skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective clothing, gloves, eye/face protection and suitable respirator.

Response	
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P370 + P378	In case of fire: Use alcohol resistant foam or dry agent for extinction

Storage	
P403 + P235	Store in a well-ventilated place. Keep cool
P405	Store locked up

Disposal	
P501	Dispose of contents/container in accordance with local, regional, national and international regulations

3. Composition and information on ingredients

Declarable components	Conc. (%)	EC No.	CAS No.	Classification	
				67/548/EEC	1272/2008
Propan-2-ol	68-75	200-661-7	67-63-0	F: R10, Xi: R36, R67	Flam Liq. 2: H225, Eye Irrit. 2: H319,

					STOT SE 3: H336.
Chlorhexidine digluconate	2-2.5	242-354-0	18472-51-0	Xi: R41, N: R50	Eye dam 1: H318; Acute Aquatic Toxicity 1: H400; Acute Toxicity 2: H330; Acute Toxicity 4: H302

4. First aid measures

Eye contact	If the impregnating fluid comes into direct contact with eyes, immediately flush eyes with plenty of water. If irritation develops, seek medical advice.
Skin contact	Wash affected area with soap and water. If irritation occurs, seek medical attention. Launder contaminated clothing before re-use.
Ingestion	If swallowed, wash out mouth thoroughly and give water to drink. Seek medical attention if significant amounts (e.g. more than a teaspoonful) are ingested, or for any symptoms occurring after ingestion. Do not induce vomiting, unless instructed by medical personnel.
Inhalation	Not considered to present an inhalation hazard under normal conditions of use.
Most Important symptoms and effects, both acute and delayed	May cause eye irritation. Vapours may cause drowsiness or dizziness.
Medical attention and special treatment	Treat symptoms as they occur.

5. Fire fighting measures

Hazard type	Flammable
Suitable extinguishing equipment	Water spray/fog, foam, carbon dioxide and dry powder.
Extinguishing equipment which must NOT be used:	Water jet.
Special protective equipment and precautions for fire fighters	In the event of a large fire, toxic fumes containing oxides of carbon may be formed, which would necessitate the use of a self-contained breathing apparatus
HAZCHEM CODE	2YE

6. Accidental release measure

Personal precautions, protective equipment and emergency procedures	Avoid direct contact of the impregnating fluid with the eyes. Ensure all sources of ignition are extinguished.
---	--

Environmental precautions	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	Eliminate all sources of ignition, because vapour may travel considerable distance to source of ignition with resultant flash-back; absorb any impregnating fluid onto a suitable inert material, which should be collected mechanically with spilled product for subsequent disposal.

7. Handling and storage

Precautions for safe handling:

Avoid prolonged exposure (ingestion, inhalation, or skin contact).
 Avoid breathing vapors.
 Use in well-ventilated areas.
 Keep product away from heat, sparks and flames.

Information about protection against explosions and fires:

Keep ignition sources away – Do not smoke
 Protect from heat
 Protect against electrostatic charges

Conditions for safe storage:

Store under normal warehouse conditions away from possible sources of ignition.

8. Exposure controls and personal protection

Ingredient	CAS No.	STD	LTEL (8 hours)	STEL (15 minutes)
Propan-2-ol	67-63-0	OES	980mg/m3	1,225mg/m3

Personal protective equipment:

None required under normal conditions of use.

Engineering controls:

For industrial use of the liquid, good general ventilation is recommended.
 Where exposure limits may be exceeded, local exhaust ventilation may be necessary.

Environmental exposure controls: Not available

9. Physical and chemical properties

Appearance	White foam headed swabstick impregnated with a colourless solution
Odour	Ethereal
Boiling point of impregnating fluid	ca. 85°C
Melting Point	Not available

Freezing point	-88 to -90°C (propan-2-ol)
Flash point of impregnating fluid	<21°C
Flammability	Impregnating fluid is highly flammable
Upper and lower explosive limits	Not available
Vapour pressure	4.3 kPa (propan-2-ol)
Vapour density	Not available
Relative density	Not available
Solubility	Impregnating fluid is completely miscible with water
Partition coefficient	Not available
Auto-ignition temperature	Product is not self-igniting
Decomposition temperature	Not available
Viscosity	Not available

10. Stability and reactivity

Reactivity	Stable under normal conditions of use
Chemical stability	Stable under normal conditions of use
Possibility of hazardous reactions	None known
Conditions to avoid	Sources of ignition (e.g. heat, spark, flame).
Incompatible materials	Oxidising agents, ammonia, and chlorine. Contact with anionic substance will reduce effectiveness of the product
Hazardous decomposition products	None known

11. Toxicological information

Acute toxicity	Oral LD50 (rat) value for the impregnating fluid calculated from those of the individual ingredients is >8,300 mg/kg
Specific Target Organ Toxicity (STOT) – single exposure:	Inhalation LC50 Rat 72.6 mg/L 4 h; Oral LD50 Rat 4396 mg/kg; Dermal LD50 Rat 12800 mg/kg; Dermal LD50 Rabbit 12870 mg/kg; Oral LD50 Rat 2 g/kg
Specific Target Organ Toxicity (STOT) – repeated exposure	May cause respiratory irritation and drowsiness or dizziness
Irritation	May cause eye irritation. Prolonged or repeat exposure may cause skin irritation.
Corrosivity	May cause irritation, drying, defatting of the skin. Prolonged contact may cause dermatitis.

sensitisation	This product is not a respiratory or skin sensitization hazard
Carcinogenicity	This product is not reported to have any carcinogenic effects.
Mutagenicity	Not available
Toxicity for reproduction	This product is not reported to have any reproductive toxicity effects.

12. Ecological information

Ecotoxicity	Contains a substance (chlorhexidine digluconate) which can be toxic to aquatic organisms, but at the levels contained in this mixture it is not considered to be toxic.
Persistence and degradability	No data available
Bioaccumulative potential	Not expected to bioaccumulate significantly
Mobility in soil	No data available
Other adverse effects	No data available

13. Disposal considerations

Disposal Method:

Dispose of the preparation waste according to national and local regulations.

Precautions: None known

Disposal Methods to avoid:

Do not flush. Do not dispose of significant quantities of the impregnating fluid into drains and water courses.

14. Transport information

According to ADR this preparation is listed under UN 3175 and for which there is a LQ1 Limited Quantities coding. However, since the net weight of the preparation in a pack is less than 120ml and the gross weight of the packs of the preparation in the transport case is less than 30kg, the provisions of ADR are not applicable to the preparation except that the transport case has to be marked with a 100 x 100 mm white diamond shaped area surrounded by a 2mm wide line within which 'UN No. 3175' is printed to a height of at least 6mm.

Environmental hazards: Marine pollutant

Special precautions for user: Not available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not available

15. Regulatory information

Safety data sheet for products RHS472, RHS473, RHS474 70% isopropyl alcohol & 2% chlorhexidine foam swabsticks

This preparation is classified as 'Hazardous' for labelling purposes.

Label for supply:

Hazard symbols

F Highly flammable



Xi Irritant



Safety phrases:

- R11 Highly flammable
- R22 Harmful if swallowed
- R26 Very toxic by inhalation
- R36 Irritation to eyes
- R41 Risk of serious damage to eyes
- R50 Very toxic to aquatic organisms
- R67 Vapours may cause drowsiness and dizziness

- H225 Highly flammable liquid and vapour
- H302 Harmful if swallowed
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H330 Fatal is inhaled
- H336 May cause drowsiness or dizziness
- H400 Very toxic to aquatic life

16. OTHER INFORMATION

Issue date: 31 January 2024

Review date: 31 January 2029

This Safety Data Sheet, which takes into consideration the requirements of Directive 1999/45/EC and subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee.